




Prairie Diagnostic Services Inc.
 52 Campus Drive Saskatoon, SK, S7N 5B4
 TEL: (306) 966-7316 FAX: (306) 966-2488
 Website: pdsinc.ca Email: pds.info@usask.ca

Date/Time (RECEIVED)

PDS Lab # _____

MYCOTOXIN, ERGOT & NITRATE TOXIN SUBMISSION FORM

Submitter (Client) name:	Owner: <input type="checkbox"/> check if same as submitter
Address:	Paid by: <input type="checkbox"/> Cheque <input type="checkbox"/> Credit Card <input type="checkbox"/> Other _____
Postal Code:	Credit card Information <input type="checkbox"/> Visa <input type="checkbox"/> MasterCard <input type="checkbox"/> American Express
Phone: Fax:	# _____ EXP: ____/____
Email:	Email Copy to:

Mycotoxin screen (Ground sample required for Analysis) Panel includes: <ul style="list-style-type: none"> • 3 + 15 Acetyldeoxynivalenol • Aflatoxin B1 • Diacetoxyscirpenol • Deoxynivalenol (Vomitoxin) • Fumonisin B1 • Fumonisin B2 • HT-2 Toxin • Nivalenol • Ochratoxin A • T-2 Toxin • Zearalenone 	Ergot Toxin screen (Ground sample required for Analysis) Panel includes: <ul style="list-style-type: none"> • Ergocornine + Egocorninine • Ergocristine + Erogristinine • Ergocryptine + Ergocryptinine • Ergometrine + Ergometrinine • Ergosine + Ergosinine • Ergotamine +Ergotaminine 	SAMPLE SIZE: Minimum: 0.2 kg (200g) ~full Snack Ziplock Maximum: 1.0 kg (1000g) ~ 1/2 Large Ziplock  Only a 1kg subsample will be ground for any samples exceeding the maximum sample size. Please note PDS is not responsible for result variation due to subsampling. Clients may request an oversized sample to be entirely ground for an additional \$30/kg grinding fee. Samples with visible rocks can not be ground, testing will be cancelled.	Nitrate (Ground sample NOT required for Analysis) Qualitative Analysis Screen Only
Please note that reported Total Ergot Alkaloid concentrations are accurate up to 10,000µg/kg (ppb). Samples containing total ergot alkaloid concentrations exceeding 10,000ppb may have a higher ergot alkaloid concentration than reported. If you require an accurate total ergot alkaloid concentration on a sample known to contain greater than 10,000ppb, please specify on the submission form, as this requires a different method.			

Results cannot be guaranteed for non-feed samples. Please contact lab before sending non-feed samples.

Submission Comments:

Sample Information				Testing Required			
	Sample ID	Sample Composition i.e. Barley, Corn, Wheat, DDGS, Silage, Pellets(wheat/corn), Mix(barley/wheat/rye/corn)	Grinding provided by PDS?		Mycotoxin	Ergot	Nitrate (Qualitative Analysis Screen)
			YES (\$30.00 up to 1kg)	NO*			
1							
2							
3							
4							
5							
6							

*Results will NOT be guaranteed for samples that cannot pass through a 35 mesh (0.5mm; flour consistency)



Prairie Diagnostic Services Inc.
 52 Campus Drive Saskatoon, SK, S7N 5B4
 TEL: (306) 966-7316 FAX: (306) 966-2488
 Website: pdsinc.ca Email: pds.info@usask.ca

PDS Lab # _____

Date/Time (RECEIVED)

MYCOTOXIN, ERGOT & NITRATE TOXIN SUBMISSION FORM

Submitter (Client) Name:				Owner:					
Sample Information							Mycotoxin	Ergot	Nitrate (Qualitative Analysis Screen)
Sample ID	Sample Composition i.e., Barley, Corn, Wheat, DDGS, Silage, Pellets(wheat/corn), Mix(barley/wheat/rye/corn)	Is grinding required by PDS?							
		YES (\$30.00/sample)	NO*						
7		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
8		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
9		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
10		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
11		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
12		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
13		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
14		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
15		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
16		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
17		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
18		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
19		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
20		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
21		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
22		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
23		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
24		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
25		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
26		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
27		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

*Results will NOT be guaranteed for samples that cannot pass through a 35 mesh (0.5mm; flour consistency)